

Technical Data Sheet

CONNECTORS



QUICK-CLAMP COMBI

Quick-clamp COMBI / Schnellkupplung COMBI / Accouplement rapide COMBI / Abrazadera rápida COMBI

Hose/Schlauch/Tuyau/Manguera:

20mm, 22mm(7/8") / 25mm(1") / 30mm / 32mm(1 1/4")

COMPLETE SET 1" THREAD

Item No.	
10932	20mm
10907	22mm
10908	25mm
10942	30mm
10909	32mm



COMPLETE SET M24X2MM THREAD

Item No.	
10931	20mm
10901	22mm
10903	25mm
10941	30mm
10905	32mm



COMPLETE SET Ø22 SMOOTH

Item No.	
10930	20mm
10900	22mm
10902	25mm
10940	30mm
10904	32mm



QUICK-CLAMP FEMALE PART

Item No.	
10911	1" thread
10913	M24X2MM thread
10912	Smooth Ø22mm



QUICK-CLAMP MALE PART

Item No.	
10915	20mm
10914	22mm
10916	25mm
10917	30mm
10918	32mm



Item No.	
19914	QUICK-CLAMP O-RING
10910	QUICK-CLAMP SPRING



QUICK-CLAMP MULTI

Quick-clamp MULTI EPS/EPP

Schnellkupplung MULTI EPS/EPP

Accouplement rapide MULTI PSE/PPE

Abrazadera rápida MULTI EPS/EPP

COMPLETE SET 1" THREAD

Item No.	
11931	22mm (7/8")
11933	25mm (1")
11935	32mm (1 1/4")



COMPLETE SET M24X2MM THREAD

Item No.	
11930	22mm (7/8")
11932	25mm (1")
11934	32mm (1 1/4")



QUICK-CLAMP MULTI FEMALE

Item No.	
10911	PART
10913	1" thread
	M24X2MM thread




QUICK-CLAMP MULTI MALE PART

Item No.	
11942	22mm (7/8")
11944	25mm (1")
11946	32mm (1 1/4")




Parts for MULTI QUICK CLAMP



KBM APS | VOELUNDSVEJ 13 | 3400 HILLEROED | DENMARK

Phone +45 4826 8090 / www.kbm.dk / kbm@kbm.dk

KBM ApS guarantees that the product meets the specification above. The keeping, handling and use of the products are beyond the control of KBM ApS, and therefore shall not invoke any responsibility of the company. This TD substitutes and deletes all previous versions.



Technical Data Sheet

CONNECTORS & SEALS



QUICK-CLAMP TURBO/COMBI (T/C) EPS/EPP

Schnellkupplung T/C EPS/EPP
Accouplement rapide T/C PSE/PPE
Abrazadera rápida T/C EPS/EPP

COMPLETE SET 1" THREAD	Item No.
22mm (7/8")	11901
25mm (1")	11903
32mm (1 1/4")	11905

COMPLETE SET M24X2MM THREAD	Item No.
22mm (7/8")	11900
25mm (1")	11902
32mm (1 1/4")	11904

QUICK-CLAMP T/C FEMALE PART	Item No.
3/4" Thread	11912
1" thread	11919

QUICK-CLAMP T/C MALE PART	Item No.
19-22mm	11913
25mm	11914
32mm	11916

HOSE CAP	Item No.
	11917

CONNECTOR FOR HOSE	Item No.
OD M24x2mm/ ID 3/4"	11910

SEAL FOR T/C QUICK CLAMP	Item No.
(Fits on both hose stub and the part with 3/4")	11920

SEALS

U-Seals Brown / Nutringe Braun / Joints spies marrons / Sellos de-U marron item 2	Item No.
Injektorking Vario EPS + Vario EPS POWER 16mm	15200
Injektorking Vario EPS POWER 18mm	15206
Injektorking Vario EPS + Vario EPS POWER 20mm	15202

U-Seals Black / Nutringe Schwarz / Joints spies noirs / Sellos de-U negro item 2	Item No.
Injektorking Vario Turbo/Combi 16mm	15250
Injektorking Vario EPS 20mm	15252
Injektorking Vario POWER 18mm	15257

Item 32 Injektorking LS:	Item No.
Injektorking LS 16mm	18200
Injektorking LS 12mm + injektorking Vario 12mm	18205
Injektorking LS 10mm	18210
Injektorking LS 8mm	18215

Piston seal / Kolbendichtung / Joint de piston / Junta de piston item 17:	Item No.
Double-lip seal (blue or black) / Dobbelman-chette (Blau oder Schwarz) / Manchon (bleu ou noir) / Juntas de labio doble (azul o negro)	16700

Bushing seal / Buchse Dichtung / Coussinets joints / Buje Sello Item 39 Injektorking LS:	Item No.
16mm	18922
12mm	18928
10mm	18930
8mm	18920


AIR FITTINGS



INJEKTORKING VARIO EPS+LS	Item No.
Filling/Füllen/Remplissant/Relleno	
1/4" 8/6mm	19900
Closing/Schließen/Fermé/Cerrado	
1/4" 6/4mm	19902
1/4" 8/5mm	19900


INJEKTORKING VARIO TURBO/COMBI + VARIO EPS POWER (+LS)	Item No.
Filling/Füllen/Remplissant/Relleno	
3/8" 8/6mm	19903
3/8" 10/8mm	19905
3/8" 12/10mm	19904
Closing/Schließen/Fermé/Cerrado	
1/4" 6/4mm	19902
1/4" 8/5mm	19900

CONVERTER 3/8" => 1/4"	Item No.
	19932



KBM APS | VOELUNDSVEJ 13 | 3400 HILLEROED | DENMARK
Phone +45 4826 8090 / www.kbm.dk / kbm@kbm.dk

KBM ApS guarantees that the product meets the specification above. The keeping, handling and use of the products are beyond the control of KBM ApS, and therefore shall not invoke any responsibility of the company. This TD substitutes and deletes all previous versions.



Technical Data Sheet

CLAMP RINGS








TYP COMBI 50MM WITH X-RING

Typ Combi 50mm with /avec/con X-ring
2 holes /Bohrungen/trous/orificios 76mm, 78mm & 80mm

3 holes /Bohrungen/trous/orificios like/wie/comme/como Kurtz.

Typ Combi 50mm	Item No.
O-ring	12604
	12652




HOSE-STUBS

Hose-stub (pipe) 22mm
fits in Ø22mm
and M24x2mm
Item No. 16200

Reduction
1" => M24x2mm
Item No. 16245


Reduction
1" => 3/4"
Item No.

Hose-stub
25mm/1" - Item No. 16220
30mm/1" - Item No. 16223
32mm/1" - Item No. 16225



KBM APS | VOELUNDSVEJ 13 | 3400 HILLEROED | DENMARK
Phone +45 4826 8090 / www.kbm.dk / kbm@kbm.dk

KBM ApS guarantees that the product meets the specification above. The keeping, handling and use of the products are beyond the control of KBM ApS, and therefore shall not invoke any responsibility of the company. This TD substitutes and deletes all previous versions.



Technical Data Sheet

CLAMP RINGS



TYP 42MMV COMBI WITH X-RING

Typ 42mm Combi with /avec/con X-ring
2 holes /Bohrungen/trous/orificios 70mm

3 holes /Bohrungen/trous/orificios 70mm
like/wie/comme/como Kurtz.

Typ 42mm Combi




Item No.
12404



Converter

42mm => 40mm


Item No. 12308



Typ 28/4 = 28mm with 4 holes

Typ 28/4 = 28mm with 4
holes / mit 4 Bohrungen /
avec 4 trou / con 4 orificios

Complete set 28mm



Item No. Can cover holes up to Ø32mm

Kann Löcher bis zu Ø32mm
abdecken

Peut couverture des trous
jusqu'à Ø32mm


Puede tapa agujeros de
hasta 32mm

12100



28x4mm
Item no. 12104

32x3mm
Item no. 12102



KBM APS | VOELUNDSVEJ 13 | 3400 HILLEROED | DENMARK

Phone +45 4826 8090 / www.kbm.dk / kbm@kbm.dk

KBM ApS guarantees that the product meets the specification above. The keeping, handling and use of the products are beyond the control of KBM ApS, and therefore shall not invoke any responsibility of the company. This TD substitutes and deletes all previous versions.

